



WITH



CITYLIGHTS  
*light up your cities!*





WITH



**CITY LIGHTS**  
*light up your cities!*

# CITY LIGHTS

*light up your cities!*

LIKE AN ETERNAL AND INEXHAUSTIBLE TORCH, CITY LIGHTS SHINES WITH ITS OWN LIGHT TO MELT EVEN THE COLDEST SPIRITS. A CONTEMPORARY, URBAN AND ECLECTIC CHARACTER WILL SHOW YOU THE RIGHT WAY. COME OUT, THE CITY IS ALREADY ON FIRE AND JUST WAITING TO BE LIVED.

A BRIGHT AND LIVELY COLOUR PALETTE CAPABLE OF CREATING SPECIAL GAMES OF LIGHTS AND SHADOWS, DEvised TO GENERATE SCENIC 3D WALLS, AVAILABLE IN THE 25X75 AND 10X30 SIZE, LEAVING AMPLE ROOM FOR YOUR IMAGINATION TO CLAD GLAMOROUS WALLS.

Come un'eterna ed inesauribile fiaccola, City Lights brilla di luce propria per sciogliere anche gli animi più freddi. Un carattere contemporaneo, urban ed eclettico ti mostrerà la strada giusta. Esci, la città è già in fiamme ed aspetta solo di essere vissuta.

Una palette brillante e movimentata capace di creare particolari giochi di luci e ombre, studiata per creare scenografiche pareti 3D, disponibile nel formato 25x75 e 10x30 lasciando ampio spazio alla fantasia nel rivestire pareti glamour.

Telle une torche éternelle et inépuisable, City Lights brille de ses propres feux pour faire fondre les mentalités les plus austères. Un caractère contemporain, urbain et éclectique vous indiquera la voie. Sortez, la ville s'allume déjà et n'attend plus que de vous faire rêver.

Une palette brillante et mouvementée capable de créer des jeux d'ombres et de lumières particuliers, étudiée pour façonner des parois décoratives en 3D, disponible en formats 25x75 et 10x30 afin de laisser une large place à la fantaisie dans le revêtement de parois glamour.

Wie eine ewige und unerschöpfliche Fackel erstrahlt City Lights im eigenen Licht, um auch die kältesten Seelen zum Schmelzen zu bringen. Ein zeitgenössischer, urbaner und eklektischer Charakter wird Ihnen den richtigen Weg weisen. Gehen Sie hinaus, die Stadt steht bereits in Flammen und wartet nur darauf, erlebt zu werden.

Eine brillant lebendige Palette, die besondere Licht- und Schattenspiele erzeugen kann, um spektakuläre 3D-Wände zu gestalten. Die verfügbaren Formate 25x75 und 10x30 sorgen für grenzenlose Freiheit bei der Gestaltung glamouröser Wände.

Como una llama eterna e inagotable, City Lights brilla con luz propia para que ardan incluso los temperamentos más fríos. Un carácter contemporáneo, urbano y ecléctico te mostrará el camino correcto. Sal, la ciudad ya está en llamas y solo espera ser vivida.

Una paleta luminosa y alegre capaz de crear juegos especiales de luces y sombras, diseñada para dar forma a espectaculares paredes 3D, disponible en los formatos 25x75 y 10x30, para dar rienda suelta a la imaginación al revestir paredes glamurosas.

City Lights сверкает будто вечный и неугасаемый факел, растапливающий даже самые холодные души. Современный урбанистический и эклектичный характер плитки укажет вам правильный путь. Следуйте ему, устремляясь в объятый пламенем огней город, наполняющийся жизнью.

Яркая и динамичная палитра, специально разработанная для создания впечатляющего трехмерного эффекта на стенах с необыкновенной игрой света и тени. Форматы 25x75 и 10x30 позволяют максимально творчески подойти к созданию изысканной отделки на стенах.

犹如一团永恒之火, City Lights以一己之光,融化冰封之心.摩登时尚且不偏不倚的个性会为你赋予一条光明大道.走上街头,流光溢彩的城市注定生机勃勃.明亮而活泼的色彩,能够营造特殊的光影效果,打造壮观的3D墙,可提供25x75和10x30尺寸,为迷人的墙壁装饰提供了充足的想象空间.



# INDEX

6

CITY LIGHTS SKY, SKY COLOR

pub  
living

26

CITY LIGHTS GREY, GREY COLOR

living  
bathroom

16

CITY LIGHTS NIGHT, NIGHT COLOR

shop  
bathroom

34

CITY LIGHTS AMBER, AMBER COLOR

hotel  
living

44

CITY LIGHTS

products







CITY LIGHTS

25x75

10x30


CITY  
LIGHTS

right wall\_CITY LIGHTS SKY COLORS 75x25 cm - 29"x10"  
floor\_ALUROCK INDIGO 60x60 cm - 24"x24"

LIKE  
WINDOWS  
ILLUMINATED  
IN THE DARK,  
SHINE.

---







left wall and counter\_ CITY LIGHTS SKY 75x25 cm - 29"x10"  
right wall\_ CITY LIGHTS SKY COLORS 75X25 cm - 29"x10"  
floor\_ ALUROCK INDIGO 60x60 cm - 24"x24"





CITY  
LIGHTS






wall and counter\_CITY LIGHTS SKY 75x25 cm - 29"x4"  
floor\_ALUROCK INDIGO 60x60 cm - 24"x24"





CITY  
LIGHTS



CITY  
LIGHTS

wall\_CITY LIGHTS SKY COLORS SQ. 10x30 cm - 4"x12"

THE THIRD  
DIMENSION  
OF  
REFLECTION.

---





CLASSICAL ARCHITECTURE  
L. E. ...  
CLASSICAL ARCHITECTURE  
L. E. ...  
BLACK BOOK OF DESIGN



# CITY LIGHTS

City Lights Sky











wall\_CITY LIGHTS NIGHT COLORS 75x25 cm - 29"x10"  
floor\_LIQUID STONE BLACK 60x60 cm - 24"x24"

CITY  
LIGHTS



CITY  
LIGHTS





left wall \_CITY LIGHTS NIGHT COLORS 75x25 cm - 29"x10"  
right wall \_CITY LIGHTS NIGHT 75X25 cm - 29"x10"  
floor \_LIQUID STONE BLACK 60x60 cm - 24"x24"





# CITY LIGHTS

wall\_CITY LIGHTS NIGHT 75x25 cm - 29"x10"  
floor\_LIQUID STONE BLACK 60x60 cm - 24"x24"





# CITY LIGHTS

wall\_CITY LIGHTS NIGHT COLORS SQ. 10x30 cm - 4"x12"  
floor\_ALUROCK BLACK 120x60 cm - 48"x24"

NATURAL  
AND TACTILE  
SUGGESTIONS  
OF LIGHT  
AND DESIGN.

---









DSL1SLT78  
A LOT OF STUFF  
15 - LOVE  
BNN - PEACE 4Y  
0445 77555



City Lights Night Colors

CITY  
LIGHTS




# CITY LIGHTS

wall\_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"  
floor\_LIQUID STONE BRONZE 60x60 cm - 24"x24"

IT SHINES WITH  
ITS DOWNLIGHT  
TO GLIDE  
AMONG THE  
FORMS OF  
THE CITY.

---







CITY  
LIGHTS





wall\_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"  
LIQUID STONE BRONZE 60x60 cm - 24"x24"  
floor\_LIQUID STONE BRONZE 60x60 cm - 24"x24"






CITY  
LIGHTS

wall\_CITY LIGHTS GREY COLORS SQ. 10x30 cm - 4"x12"

GIVE SHAPE  
TO SPACES  
ILLUMINATED  
BY THE  
WARMTH  
OF LIGHT.










CITY  
LIGHTS

City Lights Grey











front wall\_CITY LIGHTS AMBER 75x25 cm - 29"x10"  
right wall\_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"  
floor\_LIQUID STONE MUD 120x60 cm - 48"x24"

CITY  
LIGHTS

WATCH ME  
CHANGE  
SHAPE  
AND COLOR,  
CONTINUOUSLY.





# CITY LIGHTS

left wall CITY LIGHTS AMBER 75x25 cm - 29"x10"  
right wall CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"  
floor LIQUID STONE MUD 120x60 cm - 48"x24"









# CITY LIGHTS

left wall\_ CITY LIGHTS AMBER 75x25 cm - 29"x10"  
front wall\_ CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"  
floor\_ LIQUID STONE MUD 120x60 cm - 48"x24"









# CITY LIGHTS

wall\_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"  
floor\_LIQUID STONE BRONZE 60x60 cm - 24"x24"

GLEAMING  
GLAMOUR ON  
NATURALLY  
PRECIOUS  
SURFACES.

---











City Lights Amber Colors

CITY  
LIGHTS







75x25 cm  
29" x 10"



CITY LIGHTS AMBER  
CITY LIGHTS AMBER COLORS

575335 41A  
575334 41A









75x25 cm  
29"x10"



CITY LIGHTS GREY  
CITY LIGHTS GREY COLORS

575337 41A  
575336 41A








75x25 cm  
29 1/2 x 10"



CITY LIGHTS NIGHT  
CITY LIGHTS NIGHT COLORS

575331 41A  
575330 41A





75x25 cm  
29"x10"





CITY LIGHTS SKY  
CITY LIGHTS SKY COLORS

575333 41A  
575332 41A

**PACKING**

SIZE	THICKNESS	KG/MQ	BOX	EUROPALLET	
				mq	box mq
75x25 . 29"x10"	10,5 mm . 0,43"	25,5	6	1,125	28 31,5





10x30 cm

4"x12"




CITY LIGHTS AMBER COLORS SQ.

754716


CITY LIGHTS GREY COLORS SQ.

754717


## CITY LIGHTS AMBER COLORS



## CITY LIGHTS GREY COLORS







10x30 cm  
4"x12"  



CITY LIGHTS NIGHT COLORS SQ.  
CITY LIGHTS SKY COLORS SQ.

754714  
754715


**PACKING**

SIZE	THICKNESS	KG/MQ	BOX		EUROPALLET	
			 mq	box	mq	
10x30 . 4"x12"	 8,5 mm . 0,34"	14,83	30	0,90	80	72

**CITY LIGHTS NIGHT COLORS**



**CITY LIGHTS SKY COLORS**





# TECHNICAL CHARACTERISTICS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN / REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН . 牆面瓷磚










## SEMIGRES

CLASSIFICAZIONE SECONDO NORME EN 14411 - ALLEGATO L - GRUPPO B III / CLASSIFICATION IN ACCORDANCE WITH EN 14411 - ANNEX L - GROUP B III

CLASSIFICATION SELON LES NORMES EN 14411 - ANNEXE L - GROUPE B III / KLASSIFIZIERUNG GEMÄSS NORMEN EN 14411 - ANLAGE L - GRUPPE B III

CLASIFICACIÓN SEGÚN NORMAS EN 14411 - ADJUNTO L - GRUPO B III / КЛАССИФИКАЦИЯ В СООТВЕТСТВИИ С СТАНДАРТАМИ EN 14411 - ВЛОЖЕННЫХ Л - ГРУППЕ B III

類別遵照 EN 14411 附錄 L B III 組

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES PROPRIÉTÉS PHYSICO-CHIMIQUES PHYSIKALISCH-CHEMISCHE EIGENSCHAFTEN-PROPIEDADES FÍSICO-QUÍMICAS-СВОЙСТВА ХИМИЧЕСКИМИ - ФИЗИЧЕСКИМИ 物理-化學性能	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBAS ВИД КОНТРОЛЯ 測試標準	VALORE PRESCRITTO REQUIRED VALUE VALEUR PRESCRITE VORGESCHRIEBENER WERT VALOR PRESCRITO РЕКОМЕНДУЕМАЯ СТОИМОСТЬ 要求值	VALORE MEDIO AVERAGE VALUE VALEUR MOYENNE MITTELWERT VALOR MEDIO СРЕДНИЕ ЗНАЧЕНИЯ 均值
 Dimensioni Sizes Dimensions Abmessungen Dimensiones Форматы 尺寸	ISO 10545.2	Lunghezza e larghezza / Length and width / Longueur et largeur Länge und breite / Largura y anchura / Длина и ширина $\pm 0,5\%$ $\pm 0,5\%$ 長度和寬度 Spessore / Thickness / Epaisseur / Stärke / Espesor / Толщина $\pm 10\%$ $\pm 5\%$ 厚度 Rettilinearità spigoli / Warpage of edges / Rectitude des arêtes Kantengeradheit / Rectilineidad cantos / Прямолинейность сторон $\pm 0,3\%$ $\pm 0,3\%$ 線性度 Ortogonalità / Wedging / Orthogonalité Rechtwinkligkeit / Ortogonalidad / Ортогональности $\pm 0,5\%$ $\pm 0,4\%$ 楔固固 Planarità / Warpage / Planéité Ebenfächigkeit / Planitud / Плоскостности / 翹曲 $\pm 0,5\%$ $\pm 0,3\%$	
 Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение 吸水性	ISO 10545.3	$E > 10\%$	$\sim 16\%$
 Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit Resistencia a la flexión Прочность на изгиб 抗彎曲性	ISO 10545.4	Modulo di rottura Modulus of rupture Module de rupture Bruchmodul Módulo de rotura Прочность на изгиб 斷裂模組 $R \geq 15 \text{ N/mm}^2$	$22 \text{ N/mm}^2$
 Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärte Resistencia a la abrasión Износостойчивость 抗磨損性	ISO 10545.7	Secondo i dati del produttore According to the manufacturer's data Selon les données du producteur Gemäß der Angaben des Herstellers De acuerdo con los datos del fabricante В соответствии с данными изготовителя 根据制造商信息	Indicata sul catalogo Indicated in the catalog Indiquée dans le catalogue Im katalog angegeben Indicada en el catálogo Указана в каталоге 在目錄中的指示
 Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion Coefficient de dilatation thermique lineaire Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal Коэффициент теплового расширения 線性熱膨脹係數	ISO 10545.8	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	$8 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
 Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux variations thermiques Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura Устойчивость к резким перепадам температур 抗熱衝擊性	ISO 10545.9	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
 Resistenza al cavillo Crazeing resistance Résistance au tressailage Haarrißbeständigkeit Resistencia al agrietado Стойкость к образованию трещин 抗裂性	ISO 10545.11	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
 Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos químicos Химическая устойчивость 耐化學性	ISO 10545.13	GB min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标
 Resistenza alle macchie Stain resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas Устойчивость к пятнообразованию 耐沾污性	ISO 10545.14	CLASSE 3 min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标



# SAFE SYSTEM

## Grado di variazione cromatica

Degree of colour change . Grad der farbabweichung . Degre de variation chromatique . Grado de variación cromática . СТЕПЕНЬ ИЗМЕНЕНИЯ ЦВЕТА . 变色度

COLLEZIONE  
COLLECTION  
KOLLEKTION  
COLLECCIÓN  
КОЛЛЕКЦИЯ  
系列

CITY LIGHTS

WALL

V2

CITY LIGHTS COLORS

WALL

V4



### V1 - LOW .

Prodotto monocromatico . Monochromatic product  
Produit monochromatique . Einfarbiges produkt  
Producto monocromático . ОДНОЦВЕТНЫЙ ПРОДУКТ  
单色产品



### V2 - MODERATE .

Prodotto con leggera variazione cromatica . Product with light chromatic variation  
Produit à légère variation chromatique . Produkt mit leichter farbnance  
Producto con una ligera variación cromática  
ПРОДУКТ С ЛЕГКИМИ ИЗМЕНЕНИЯМИ ОТТЕНКОВ . 轻微变色的产品



### V3 - HIGH .

Prodotto con marcata variazione cromatica . Product with high shade chromatic variation  
Produit à variation chromatique accentuée . Produkt mit ausgeprägter farbnance  
Producto con una marcada variación cromática . ПРОДУКТ С ВЫРАЖЕННЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА  
高度变色的产品



### V4 - EXTREME .

Prodotto con forte variazione cromatica . Product with very high shade chromatic variation  
Produit à forte variation chromatique . Produkt mit starker farbnance  
Producto con una fuerte variación cromática  
ПРОДУКТ С СИЛЬНЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА . 高度变色的产品



Marketing IRIS CERAMICA

Art Direction / Concept  
Graphic Design / Copy


ARCHÈ AGENCY

3D Image / Post Production

ARCHÈ AGENCY



SEARCH "Iris Ceramica" ON YOUR APP STORE



FOLLOW "Iris Ceramica" SOCIAL NETWORKS







**IRIS CERAMICA**

Via Ghiarola Nuova, 119  
Zona Industriale I  
41042 Fiorano Modenese (MO) - Italy

T. +39 0536 86 21 11  
Fax +39 0536 80 46 02  
[info@irisceramica.com](mailto:info@irisceramica.com)

[irisceramica.com](http://irisceramica.com)  
[diesel.com/living](http://diesel.com/living)