


LEMMY
SHINING DESIGN

SHINE
AND COLOR
STORIES

NEUTRAL PALETTE



LY01 PALLADIUM
P.04



LY05 AFTERGLOW
P.26



LY02 NIMBUS
P.10



LY03 EXCALIBUR
P.16

COLOR PALETTE



LY08 PUMPKIN
P.38



LY04 VENOM
P.22



LY07 INDIO
P.36



LY06 VIRIDIUM
P.32

CLEAR AND BRIGHT



PALLADIUM

LY01 SP 1200x2780 / 48"x110"



FLOOR . PALLADIUM LY01 SP 600x1200 / 24"x48"
TOP TABLE . JEWELS GIÒIA WHITE JW13 LUC



WALL . PALLADIUM LY01 SP 1200x2780 / 48"x110"
FLOOR . PALLADIUM LY01 SP 600x600 / 24"x24"
BENCH . JEWELS RAYMI JW16 LUC



WALL . PALLADIUM LY01 SP 1200x2780 / 48"x110"
FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"
COUNTER . VENOM LY04 SP 1200x2780 / 48"x110"



LIGHT GREY



NIMBUS

LY02 SP 1200x2780 / 48"x110"



WALL . NIMBUS LY02 SP 1200x2780 / 48"x110"



FLOOR .
NIMBUS LY02 SP 600x1200 / 24"x48"

TABLE .
JEWELS MOONLESS JW17 LUC
162x3240 / 63³/₄"x127¹/₂"

FLOOR .
NIMBUS LY02 SP 600x1200 / 24"x48"

TABLE .
JEWELS MOONLESS JW17 LUC
162x3240 / 63³/₄"x127¹/₂"



DEEP GREY



EXCALIBUR

LY03 SP 1200x2780 / 48"x110"



FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"

WALL . EXCALIBUR LY03 SP 1200x2780 / 48"x110"



WALL . NORR GRÅ RR02 NAT 1200x2780 / 48"x110"
FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"
BENCH . NORR GRÅ RR02 NAT



WALL . NIMBUS LY02 SP 150x600 / 6"x24"
FLOOR . EXCALIBUR LY03 SP 600x600 / 24"x24"



VELVET DARK



VENOM

LY04 SP 1200x2780 / 48"x110"




WALL . VENOM LY04 SP 1200x2780 / 48"x110"

FLOOR . JURUPA WILD JP05 NAT 200x1200 / 8"x48"



WALL . ALLORE POPPY 1+2 1200x2780 / 48"x110"
FLOOR . VENOM LY04 SP 600x600 / 24"x24"
BENCH. VIRIDIUM LY06 - INDIO LY07 - EXCALIBUR LY03



LIGHT GOLD



AFTERGLOW

LY05 SP 1200x2780 / 48"x110"




WALL . AFTERGLOW LY05 SP PLUME 300x300 / 12"x12"

VANITY TOP . JEWELS GIOIA WHITE JW13 LUC



WALL . AFTERGLOW LY05 SP 1200x2780 / 48"x110"





WALL .
AFTERGLOW LY05 SP 600x1200 / 24"x48"

FLOOR .
JURUPA MASTER JP03 NAT 200x1200 / 8"x48"

BENCH .
VENOM LY04 SP

SOFT GREEN



VIRIDIUM

LY06 SP 600x1200 / 24"x48"



FLOOR . VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE . NIMBUS LY02 SP 1200x2780 / 48"x110"



WALL .
NIMBUS LY02 SP 1200x2780 / 48"x110"

FLOOR .
VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE .
NIMBUS LY02 SP

COUNTER .
JURUPA CAMP JP04 NAT 200x1200 / 8"x48"

FRESH BLUE



INDIO

LY07 SP 600x1200 / 24"x48"



WALL . INDIO LY07 SP 600x1200 / 24"x48"

FLOOR . AFTERGLOW LY05 SP 150x600 / 6"x24"

INTENSE COTTO



PUMPKIN

LY08 SP 600x1200 / 24"x48"



WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"

WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"
FLOOR . NIMBUS LY02 SP 600x600 / 24"x24"
SHOWER . NIMBUS LY02 SP 1200x2780 / 48"x110"



PALLADIUM
LY 01

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 01 Bianco

MAPEI 111 Grigio Argento

LATICRETE 44 Bright White



NIMBUS
LY 02

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 02 Grigio Luce

MAPEI 110 Manhattan

LATICRETE 88 Silver Shadow



EXCALIBUR
LY03

e 6 mm 1200x2780 / 48"x110"
SP SQ

e 9 mm 1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 04 Grigio Ferro

MAPEI 112 Grigio Medio

LATICRETE 89 Smoke Grey



VENOM
LY04

e 6 mm 1200x2780 / 48"x110"
SP SQ

e 9 mm 1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 05 Antracite

MAPEI 114 Antracite

LATICRETE 45 Raven



AFTERGLOW
LY05

6 mm 1200x2780 / 48"x110"
SP SQ

9 mm 1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 02 Grigio Luce

MAPEI 111 Grigio Argento

LATICRETE 18 Sauterne



VIRIDIUM
LY06

9 mm 600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 04 Grigio Ferro

MAPEI 113 Grigio Cemento

LATICRETE 24 Natural Grey



INDIO
LY07

e 9 mm

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 05 Antracite 

MAPEI 119 Grigio Londra 

LATICRETE 53 Twilight Blue 



PUMPKIN
LY08

e 9 mm


600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ


150x600 / 6"x24"
SP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL 04 Grigio Ferro 

MAPEI 113 Grigio Cemento 

LATICRETE 30 Sand Beige 




RIASSUNTIVO FORMATI E IMBALLI
SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES
规格和包装概述

1200x2780 48"x110"	1200x1200 48"x48"	600x1200 24"x48"	600x600 24"x24"	300x600 12"x24"	150x600 6"x24"	Mosaico 36T* 300x300 12"x12"	Plume 300x300 12"x12"	Pipe 265x288 10 1/2"x11 3/8"	Foliage 323x305 12 3/4"x12"	Battiscopa 72x600 2 7/8"x24"	Gradino B Ang. 330x330 13 1/8"x13 1/8"	Gradino B 330x600 13 1/8"x24"	Gradino B 330x1200 13 1/8"x48"	Gradino G 300x600 12"x24"

		FORMATI - SIZES					DECORI - DECORS												
Spessore - Thickness		6 mm	9 mm	9 mm	9 mm	9 mm	9 mm												
Superficie - Surface		SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP
	Palladium LY 01	US07	A	UQ03	UP94	UR56	A	A	A	A	A	A	A	A	A	A	A	A	A
	Nimbus LY 02	US08	A	UQ04	UP95	UR57	A	A	A	A	A	A	A	A	A	A	A	A	A
	Excalibur LY 03	US09	A	UQ05	UP96	UR58	A	A	A	A	A	A	A	A	A	A	A	A	A
	Venom LY 04	A	A	A	UP97	UR59	A	A	A	A	A	A	A	A	A	A	A	A	A
	Afterglow LY 05	US11	A	UQ07	UP98	UR60	A	A	A	A	A	A	A	A	A	A	A	A	A
	Viridium LY 06	-	-	UQ08	UP99	UR61	A	A	A	A	A	A	A	A	A	A	A	A	A
	Indio LY 07	-	-	UQ10	UQ01	UR62	A	A	A	A	A	A	A	A	A	A	A	A	A
	Pumpkin LY 08	-	-	UQ11	UQ02	UR63	A	A	A	A	A	A	A	A	A	A	A	A	A

	Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Без брутто коробки	61,56	32,29	24,93	26,18	26,92	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штук в коробке	2	2	3	7	14	6	6	4	6	10	4	4	2	7	4	7		
	mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	2,88	1,44	1,08	1,26	1,26	-	-	-	-	-	-	-	-	-	-	-	-	-
	Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complete Cajas / pallet completo Коробки в палете	16	35	40	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-
	mq./pallet	46,08	50,40	43,20	50,40	50,40	-	-	-	-	-	-	-	-	-	-	-	-	-

A: Disponibile - Available
 * Decoro su rete - Mesh-backed decoration
 SP: Spazzolata



STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側邊	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	SPESSORE THICKNESS - DICKE EPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTENCIA A LA FLEXIÓN - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm ² .	⊖ 6 mm: S ≥ 1100 N R ≥ 48 N/mm ² ⊖ 9 mm: S ≥ 2.400 N R ≥ 48 N/mm ²
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCs - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCs THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
				SP
		DM. 236/89 BCRA	> 0,40	-
		ASTM C1028	SCOF > 0,60	-
		ANSI A137.1	Wet DCOF > 0,42	-
		AS 4586:2013	-	-
		BS7976 - Gsm.4S - Slid.96	Dry -	-
		BS7976 - Gsm.4S - Slid.96	Wet -	-
		BS7976 - Gsm.TRL - Slid.55	Dry -	-
		BS7976 - Gsm.TRL - Slid.55	Wet -	-
		DIN 51130	-	P9
		DIN 51097	-	-
		ENV 12633	≥ CL1	-
		BS 7976	≥ 36	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA
Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.
41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point
20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.
618 Grassmere Park Dr - Suite 1-2
Nashville - Tennessee (TN) - 37211
Ph. +1 615 834 3888
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai
Building 5 - Suite B101
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai