



PULP

JUST NOT A FICTION.



41ZERO42

La semplicità di un codice d'avviamento postale per identificare un luogo d'appartenenza e tutti i valori che ad esso sono legati. Uno spazio creativo, che mira all'eccellenza del materiale ceramico, all'importanza della sua ricerca e ai suoi contenuti. Un linguaggio che prende forma dalla contaminazione di diversi elementi provenienti da svariati contesti. Elementi dal sapore industriale accostati ad altri dal carattere fortemente artigianale, molteplicità di linguaggi interconnessi danno vita a nuove vesti per la progettazione architettonica. Per noi, un'idea o un progetto devono necessariamente trasmettere e veicolare un contenuto, una storia. Così le storie - che ci emozionano, appassionano e che cerchiamo di raccontarvi divengono la linfa della nostra curiosità e creatività. Chiamateci cantastorie, non ci offenderemo.

The simplicity of a ZIP code to identify a place of belonging and all the values that are related to it. A creative space, which aims for excellence in ceramics, the importance of his research and its content. A language that is shaped by the contamination of elements from many different contexts. Industrial and artisanal elements are mixed despite of their different nature: a multitude of interconnected languages bring to life a new vest for architectural design. An idea or a project needs to transmit and convey content, a story. The stories - that excite us, that we are passionate about and that we try to tell - become the lifeblood of our curiosity and creativity. Call us storytellers, we will not be offended.



PULP

Pulp è la nostra proposta di effetti marmo ricchi, arroganti, grafici e colorati. La base di partenza è un arabescato, che reinterpretato nei 5 colori - Black, Gold, Red, Green, Blue - assume un carattere forte, dinamico, surreale. Tale proposta grafica è valorizzata attraverso una serie di 3 differenti superfici estremamente naturali: levigata, spazzolata opaca e leggermente martellata. A completare e bilanciare l'esuberante ricchezza del marmo, una struttura bianca cannettata opaca per creare pareti pulite e armoniche.

Pulp is our proposal of a rich, arrogant, graphic and colored marble effects. The starting point of our study is an Arabescato, turned in 5 different colors - Black, Gold, Red, Green, Blue. Through these 5 chromatic variations, the material becomes strong, dynamic and surreal. This new graphic idea is enhanced by 3 different kind of surfaces, extremely natural: polished, matt brushed and lightly hammered. To complete the collection and for balancing the marble exuberant richness an opaque cane structure, to create clean and harmonious walls.

→ Wall Pulp Red Double Polished - Floor Pulp Red Raw





↑ → Wall Paper41 Lux Louis 60x120 24"x48" - Parallel 20x60 8"x24"
Floor Pulp Red Double Polished 60x120 24"x48"





↖ Pulp Red Double Honed Mosaic 30x30 12"x12"

→ Wall Pulp Blue Double Polished - Floor Pulp Blue Raw





↑ → Wall Parallel 60x120 24"x48"
Floor Pulp Blue Double Polished 60x120 24"x48"



→ Wall Pulp Gold Double Polished - Floor Pulp Gold Raw





↑ Paper41 Lux Franz 60x120 24"x48" - Pulp Gold Double Polished 60x120 24"x48"



↑ Wall Pulp Gold Double Honed 60x120 24"x48" - Parallel 60x120 24"x48"
Floor Pulp Gold Raw 60x120 24"x48"



↑ → Wall Pulp Gold Double Honed 60x120 24"x48" - Parallel 60x120 24"x48"
Floor Pulp Gold Raw 60x120 24"x48"



→ Wall Pulp Black Double Polished - Floor Pulp Black Raw





← ↑ Wall Pulp Black Double Polished 10x60 4"x24"
Floor Pulp Black Double Polished 60x120 24"x48"

→ Wall Pulp Green Double Polished - Floor Pulp Green Raw





↕ → Pulp Green Raw 60x120 24"x48"





↑ → Wall Pulp Green Double Honed 60x120 24"x48" - Parallel 20x60 8"x24"
Floor Pulp Green Double Honed 10x60 4"x24" - Pulp Green Double Polished 7,5x60 3"x24"



TECHNICAL DETAILS

PULP

TECHNOLOGY PORCELLANATO DIGITALE HD AD IMPASTO COLORATO - HD DIGITAL COLORED BODY PORCELAIN

FINISH RETTIFICATO - RECTIFIED - DOUBLE POLISHED / DOUBLE HONED / RAW

DOUBLE POLISHED / DOUBLE HONED FINITURA A BASE DI PASTA DI VETRO PIÙ TRATTAMENTO PROTETTIVO SUPERFICIALE
GLASS PASTE FINISHING WITH ADDITIONAL PROTECTIVE TREATMENT ON SURFACE.

THICKNESS 10 MM

PARALLEL

TECHNOLOGY PORCELLANATO SMALTATO AD IMPASTO COLORATO - GLAZED COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED

THICKNESS 10 MM



PULP COLORS

DOUBLE POLISHED




DOUBLE HONED

RAW




GOLD






BLACK






GREEN




BLUE



RED



PULP SIZES



60X120 24"X48"


* FORMATO DISPONIBILE SOLO IN
 FINITURA DOUBLE POLISHED.
 SIZE AVAILABLE ONLY
 DOUBLE POLISHED FINISHIG.




10X60
 4"X24"



*7,5X60
 3"X24"




MOSAIC 10X10
 NET 30X30 12"X12"



SKIRTING 7,5X120
 3"X48"


PARALLEL



60X120 24"X48"



20X60 8"X24"



GRAPHIC NR. 15 (60X120)

PULP DOUBLE POLISHED TECHNICAL FEATURES



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	DOUBLE POLISHED
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2 %
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm2	45 N/ mm2
ISO 10545/7	resistenza all'abrasione visible abrasion resistance		PEI V
ASTM C1027	visible abrasion resistance	CLASS I-V	CLASS V
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	≥ 3
ANSI A137.1	aesthetic classes	V0-V4	V2

PULP DOUBLE HONED TECHNICAL FEATURES



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	DOUBLE HONED
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2 %
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm2	45 N/ mm2
ISO 10545/7	resistenza all'abrasione visible abrasion resistance		PEI V
ASTM C1027	visible abrasion resistance	CLASS I-V	CLASS V
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	≥3
DIN 51130	scivolosità anti-slip		R10
DCOF	dynamic coefficient of friction	> 0,42	0,43
ANSI A137.1	aesthetic classes	V0-V4	V2

PULP RAW TECHNICAL FEATURES



PULP CODES

NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	RAW
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2 %
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm ²	45 N/ mm ²
ISO 10545/7	resistenza all'abrasione visible abrasion resistance		PEI IV
ASTM C1027	visible abrasion resistance	CLASS I-V	CLASS IV
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	≥3
DIN 51130	scivolosità anti-slip		R11 A+B
DCOF	dynamic coefficient of friction	> 0,42	0,73
ANSI A137.1	aesthetic classes	V0-V4	V2

SIZE	Gold	Black	Green	Blue	Red	Parallel
60x120 D. Polished	4100704	4100699	4100703	4100702	4100700	
60x120 D. Honed	4100698	4100693	4100697	4100696	4100694	
60x120 Raw	4100710	4100705	4100709	4100708	4100706	
60x120	-	-	-	-	-	4100711
20x60	-	-	-	-	-	4100754
10x60 D. Polished	4100745	4100739	4100748	4100742	4100751	
10x60 D. Honed	4100744	4100738	4100747	4100741	4100750	
10x60 Raw	4100746	4100740	4100749	4100743	4100752	
7,5x60 D. Polished	4100761	4100759	4100762	4100760	4100763	
Mosaic D. Polished	4100771	4100765	4100774	4100768	4100777	
Mosaic D. Honed	4100770	4100764	4100773	4100767	4100776	
Mosaic Raw	4100772	4100766	4100775	4100769	4100778	
Skirting D. Polished	4100786	4100780	4100789	4100783	4100792	
Skirting D. Honed	4100785	4100779	4100788	4100782	4100791	
Skirting Raw	4100787	4100781	4100790	4100784	4100793	

PULP PACKING

PULP	pcs	m ²	kg/box	box/pal	m ² /pal	kg/pal	thickness
60x120 ^{24"x48"}	2	1,44	32,60	30	43,20	978	10 mm
20x60 ^{8"x24"}	8	0,96	21,731	42	40,32	912,702	10 mm
10x60 ^{4"x24"}	13	0,78	17,87	45	35,10	804,15	10 mm
7,5x60 ^{3"x24"}	16	0,72	14,60	40	28,80	584,00	10 mm
Mosaic	11	-	18,70	-	-	-	10 mm
Skirting	6	-	12,78	-	-	-	10 mm

PULP colori stucchi consigliati / advised grouts colors

ALL COLORS

Mapei 100 White

AVVERTENZE

41zero42 si riserva di apportare modifiche senza preavviso ai prodotti declinando ogni responsabilità per danni diretti o indiretti derivanti da eventuali modifiche.

I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi.

Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

ADVICE

41zero42 reserves the right to modify the mentioned products without notice, declining all responsibility on direct or indirect damages caused by eventual modifications.

Colours and aesthetical features of the materials as illustrated in this catalogue are to be regarded as mere indications.

The tables containing the details of the content per box and the weight of packing are updated at the time the catalogue is printed; therefore the listed data may change.

CREDITS

CONCEPT 41zero42

STYLING & GRAPHIC PROJECT Martino Manni e Simona Bernardi

PHOTO puntoimmaginesrl.it

THANKS TO:

Agape

Artemide

Baxter

Carl Hansen & Søn

Gebrüder Thonet Vienna GmbH

Kartell

Menu

... Adelmo, cane di nonna Oriella

Printed in Italy - Lito Group srl - July 2019

41zero42 // P411014 Pulp catalog



41zero42 srl

Via Monte Mongigatto 24 Int. 11
Fiorano Modenese · 41042 · MO
Italia

T +39 0536 839350

F +39 0536 839360

www.41zero42.it